

Refine Search

Search Results -

Terms	Documents
((high adj1 speed) near5 bus) near10 (chipset or chip or IC)	204

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L1 and (serial\$2 near5 (storage or memory))

Search History

DATE: Thursday, June 24, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**
side by side

Hit Count **Set Name**
result set

DB=USPT,USOC; PLUR=YES; OP=OR

L1 ((high adj1 speed) near5 bus) near10 (chipset or chip or IC) 204 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L2 and (control\$4 near15 port)	7

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L3	Refine Search
----	---------------

Buttons:

Recall Text	Clear	Interrupt
-------------	-------	-----------

Search History

DATE: Thursday, June 24, 2004 [Printable Copy](#) [Create Case](#)

Set Name **Query**

side by side

DB=USPT,USOC; PLUR=YES; OP=OR

	Hit Count	Set Name
<u>L3</u> L2 and (control\$4 near15 port)	7	<u>L3</u>
<u>L2</u> L1 and (serial\$2 near5 (storage or memory))	15	<u>L2</u>
<u>L1</u> ((high adj1 speed) near5 bus) near10 (chipset or chip or IC)	204	<u>L1</u>

Hit Count **Set Name**

result set

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L3	0

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Thursday, June 24, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query
side by side

Hit Count Set Name
result set

DB=EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L4 L3 0 L4

DB=USPT,USOC; PLUR=YES; OP=OR

L3 L2 and (control\$4 near15 port) 7 L3

L2 L1 and (serial\$2 near5 (storage or memory)) 15 L2

L1 ((high adj1 speed) near5 bus) near10 (chipset or chip or IC) 204 L1

END OF SEARCH HISTORY